PHILIP MORRIS INTERNATIONAL

GOOD TO PRINT Page 1 of 1

**49.S548 27-Sep-23 16:57:10 V1**

File name: 49.S548-FA08-DP-For_View-01
Item Desc: IQ01 FA08 SWI 145.00X162.00 2A MK MID &
Prod Cat: M0401 - RRP HTP Main Kit
IQOS ILUMA
ILUMA PRIME
CL1A MKSLU LA - FA08
Former item: 49.S437

Template Code: TMP-001305
GBOM Code:
Pack format: Publicity Insert/Onsert/Outsert - 49

Technical drawing: TD-IN0545
Flat Size (mm): 145 x 162
3D Size (mm): 0 x 81 x 145
Barcode number:
Barcode type & size: - %

Pack Dev: Wetzel, Juliana
Juliana.Wetzel@pmi.com
+555139093226

- Readability of barcode specified in size and position is printer's responsibility.
- ALWAYS USE EXISTING TOOLS.
- Scale : 100%
- Remarks:
- Reason for change:

Color dots shown on the G2P is a placement reference only, color dots to be placed and printed according to GS.000035 & GS.000214 to comply with Digichain Color Process

**THIS PDF IS OPTIMIZED FOR VISUALIZATION FOR PRINT PRODUCTION REFER TO MAIN GTP**
**Final colors must match approved Color Standard**

Colors & tools (DOES NOT REPRESENT PRINTING SEQUENCE)

- GREY
- OPV LACQUER

## Back

IQOS ILUMA™ Pocket Charger (Modelo M0001):
Paso 1: el dispositivo debe estar completamente descargado antes de desmontarlo.
Paso 2: retira la tapa con los dedos.
Paso 3: abre la tapa y retira los tornillos superior e inferior.
Paso 4: retira la carcasa del cargador.
Paso 5: desatornilla la placa de circuitos electrónicos (solo un tornillo).
Paso 6: desconecta el conector de la batería de la placa de circuitos. No cortes los alambres de la batería.
Paso 7: inclina la batería hacia arriba para retirarla y deshágala respetando la normativa local.

Dispositivo IQOS ILUMA™ y IQOS ILUMA PRIME™ (Modelo C1402):
Paso 1: el dispositivo debe estar totalmente descargado antes de desmontarlo.
Paso 2: abre el anillo.
Paso 3: abre la tapa y saca el conjunto de la carcasa.
Paso 4: suelta la lengüeta de la batería y suéltala.
Paso 5: quita la batería y deséchala respetando la normativa local.

**Confirmación de cumplimiento**
Por la presente, Philip Morris Products S. A. declara que IQOS ILUMA™ y IQOS ILUMA PRIME™ cumplen con los requisitos básicos y otras disposiciones pertinentes de la Directiva 2014/53/UE. Puedes consultar la Declaración de Conformidad oficial en: www.pmi.com/declarationofconformity
IQOS ILUMA™ y IQOS ILUMA PRIME™ funcionan en una banda de frecuencia de 2402 – 2480 GHz con una potencia de salida de RF máxima de 10,0 dBm.
Diseñado y fabricado bajo la autoridad de Philip Morris Products S. A., Quai Jeanrenaud 3, 2000 Neuchâtel (Suiza).

Bluetooth®

La palabra Bluetooth® y sus logotipos son propiedad de Bluetooth® SIG, Inc. y el uso de dichas marcas por parte de Philip Morris Products S.A. y sus afiliadas es bajo licencia. Otras marcas y nombres comerciales son los de sus respectivos propietarios.

La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.

Para más información sobre la licencia de firmware para IQOS ILUMA™ y IQOS ILUMA PRIME™, visita www.iqos.com.

© 2021 Copyright Philip Morris Products S.A.

CE

49.S548

## Front

IQOS ILUMA

ENGLISH

# SAFETY WARNINGS AND INSTRUCTIONS

**PLEASE READ ALL SAFETY WARNINGS AND INSTRUCTIONS BEFORE USE TO AVOID INJURY.**
**These safety warnings and instructions cannot cover all possible conditions that could occur and users should exercise care and caution.**

## KEEP THESE SAFETY WARNINGS AND INSTRUCTIONS FOR FUTURE REFERENCE AS THEY CONTAIN IMPORTANT INFORMATION.

These Safety Warnings and Instructions are applicable to IQOS ILUMA™ and IQOS ILUMA PRIME™.

**Intended Users**
- IQOS ILUMA™, IQOS ILUMA PRIME™ and SMARTCORE STICKS™ are for adult use only.
- IQOS ILUMA™, IQOS ILUMA PRIME™ and SMARTCORE STICKS™ are for adults who would otherwise continue to use tobacco or nicotine-containing products.
- Children and adolescents should never use IQOS ILUMA™, IQOS ILUMA PRIME™ or SMARTCORE STICKS™ under any circumstances.
- This product should not be used by persons with reduced physical, sensory or mental capabilities or lack of knowledge unless they have been given supervision or instruction to use the product in a safe way and understand the hazards involved.

**Tobacco and Nicotine**
- SMARTCORE STICKS™ contain nicotine, which is addictive.
- IQOS ILUMA™, IQOS ILUMA PRIME™ and SMARTCORE STICKS™ are not risk-free. The best way to reduce tobacco-related health risks is to quit tobacco and nicotine use altogether.
- Some users may experience abdominal pain, chest pain, choking sensation, cough, difficulty breathing, dizziness, dry mouth, dry throat, gingivitis, headache, malaise, nasal stuffiness, nausea, mouth irritation, palpitations, throat irritation, and vomiting.
- Nicotine-containing products should not be used by people who have or are at risk of heart diseases, are diabetic, or are epileptic or are experiencing seizures.
- Nicotine-containing products should not be used during pregnancy or while breastfeeding. If you are pregnant, breastfeeding or think you may be pregnant, you should quit tobacco and nicotine use altogether.

## Panel 2

- Stopping smoking or switching to IQOS ILUMA™ or IQOS ILUMA PRIME™ and SMARTCORE STICKS™ or other nicotine-containing products may require the adjustment of the dosing of certain medicines (e.g. theophylline, clozapine, ropinirole).
- If you have questions about whether you should use IQOS ILUMA™, IQOS ILUMA PRIME™ or SMARTCORE STICKS™ given an existing health condition, you should consult a health care professional.

**IMPORTANT SAFETY INFORMATION**

**WARNING** **Choking, Ingestion and Handling Hazard**
- Keep IQOS ILUMA™, IQOS ILUMA PRIME™ and SMARTCORE STICKS™ out of reach of children and pets at all times.
- CHOKING HAZARD — SMARTCORE STICKS™ contain small metal parts with sharp edges.
- INGESTION HAZARD
  - Swallowed SMARTCORE STICKS™ can cause serious injury to internal organs due to small metal parts with sharp edges.
  - Swallowed SMARTCORE STICKS™ can pose a risk of nicotine intoxication.
  - If SMARTCORE STICKS™ are swallowed, seek medical attention immediately.
- HANDLING HAZARD — Do not take apart SMARTCORE STICKS™ as they contain small metal parts with sharp edges. Always dispose of SMARTCORE STICKS™ immediately after use according to local waste disposal regulations.

**WARNING** **Electronic and Battery Hazards**

Electrical Risks

Failure to follow these Safety Warnings and Instructions could result in fire, explosion, electric shock, injury, or damage to the product or other property:
- Only Intended Users should use IQOS ILUMA™ and IQOS ILUMA PRIME™.
- Do not use IQOS ILUMA™ or IQOS ILUMA PRIME™ where the use of electronic devices is prohibited.
- Do not charge or use IQOS ILUMA™, IQOS ILUMA PRIME™ or accessories if damaged, tampered with or broken.
- Do not use IQOS ILUMA™ or IQOS ILUMA PRIME™ if the battery appears to be leaking.
- Only charge IQOS ILUMA™ and IQOS ILUMA PRIME™ indoors, as indicated by symbol

## Panel 15

Es posible que no todos los dispositivos que aparecen en la lista en estas advertencias de seguridad e instrucciones estén incluidos en este kit de movilidad.

**Información sobre el adaptador eléctrico compatible**
Modelo: S52A21, S21A20, S21A22, S21A23, S21A25, S21A27, S82A40, S82A41, S82A42, S82A43, S82A45, S82A46
Entrada: 100 V-240 V~50-60 Hz 0,3 A
Salida: 9 V ⎓ 2 A
Potencia de salida: 10,0 W
Eficiencia media en activo: 79,0 %
Consumo de energía sin carga: <0,06 W
**Uso con cable de carga USB tipo C-C**

**INFORMACIÓN PARA DESECHAR IQOS ILUMA™ Y IQOS ILUMA PRIME™**

Este símbolo en el producto o en su empaque indica que este producto y sus piezas individuales (incluidas las baterías) no se deben desechar junto con el resto de sus residuos domésticos. Es tu responsabilidad llevarlos a un punto limpio para el reciclado de equipos eléctricos y electrónicos. Entre otros, las baterías usadas pueden devolverse de forma gratuita al punto de venta. La recogida y el reciclaje por separado de tus residuos (baterías incluidas) ayudarán a conservar los recursos naturales garantizando que se reciclen de una manera que proteja la salud y el ambiente. Desechar el equipo como residuo urbano sin clasificar (p. ej. mediante la incineración de residuos o en vertederos) puede producir efectos negativos en el medioambiente y en la salud humana. Para más información sobre dónde puedes desechar tu equipo para su reciclaje, comunícate con el ayuntamiento local de tu ciudad, el servicio local de recolección de residuos domésticos o con el lugar donde adquiriste el producto. El importador local del producto se encargará de la financiación del tratamiento y el reciclaje de equipos devueltos a través de puntos de recogida de conformidad con los requisitos locales.

**INSTRUCCIONES PARA RETIRAR LA BATERÍA (PARA ELIMINACIÓN Y RECICLADO)**
**Los consumidores deben retirar la batería. Al final de la vida útil del producto, solo una empresa de reciclaje podrá retirar la batería de forma segura siguiendo estos pasos.**

IQOS ILUMA PRIME™ Pocket Charger (Modelo C1502):
Paso 1: el dispositivo debe estar totalmente descargado antes de desmontarlo.
Paso 2: retira la almohadilla de goma de la cubierta del Pocket Charger.
Paso 3: retira los dos tornillos.
Paso 4: retira la cubierta deslizándola y moviéndola verticalmente lejos de la carcasa metálica y después quita los dos tornillos del bastidor.
Paso 5: separa todos los circuitos impresos flexibles y el conector para retirar la placa del circuito del cargador.
Paso 6: quita la batería y deséchala respetando la normativa local.

## Panel 14

**PRECAUCIÓN** **Riesgos de reacciones alérgicas**
- El uso de IQOS ILUMA™ o IQOS ILUMA PRIME™ podría causar una reacción alérgica como hinchazón de cara, labios, lengua, encías, garganta u otra parte del cuerpo, dificultad para respirar o jadeo.
- Deja de usar IQOS ILUMA™ o IQOS ILUMA PRIME™ y acude a un médico inmediatamente si presentas algunos de estos síntomas, que podrían indicar una reacción alérgica grave.
- Algunos SMARTCORE STICKS™ contienen ingredientes botánicos que pueden causar reacciones alérgicas en algunos usuarios (consulta la información en el paquete). No compartas los dispositivos IQOS ILUMA™ y IQOS ILUMA PRIME™ con otros usuarios para minimizar la contaminación cruzada que podría causar una reacción alérgica.

**Uso de los SMARTCORE STICKS™**
- Usa IQOS ILUMA™ y IQOS ILUMA PRIME™ únicamente con SMARTCORE STICKS™ específicamente diseñados para IQOS ILUMA™ y dispositivos IQOS ILUMA PRIME™.
- Nunca uses IQOS ILUMA™ o IQOS ILUMA PRIME™ con cigarrillos o productos similares.
- No uses los SMARTCORE STICKS™ con generaciones anteriores de dispositivos IQOS.
- No modifiques los SMARTCORE STICKS™ de ninguna forma ni añadas ninguna sustancia a los SMARTCORE STICKS™. Hacerlo podría provocarte lesiones.

**Almacenamiento**
- El dispositivo debe almacenarse en un lugar limpio, seco y fresco. No lo almacenes a temperaturas superiores a 40°C.
- Mantenlo fuera del alcance de los niños.

**Cómo reportar eventos adversos o incidentes**
- Si experimentas algún efecto no deseado al usar IQOS ILUMA™, IQOS ILUMA PRIME™ y/o los SMARTCORE STICKS™, consulta con un profesional de la salud.
- Puedes notificarnos cualquier efecto adverso o incidente poniéndote en contacto con el servicio de Atención al Cliente (encontrarás los datos en el folleto de Atención al Cliente y Garantía). Al informarnos de efectos secundarios, nos ayudarás a cumplir con nuestras obligaciones sobre la seguridad de este producto.
- Para más información, visita www.iqos.com

**DATOS TÉCNICOS**

**Dispositivo:**
IQOS ILUMA™ y IQOS ILUMA PRIME™
Modelo C1402
Tipo de batería: batería de Li-ion recargable
Entrada: 5 V ⎓ 1,6 A

**Pocket Charger:**
IQOS ILUMA PRIME™
Modelo C1502
Tipo de batería: batería de Li-ion recargable
Entrada: 5 V ⎓ 2 A
Bluetooth® 5.0

**Pocket Charger:**
IQOS ILUMA™
Modelo M0001
Tipo de batería: batería de Li-ion recargable
Entrada: 5 V ⎓ 2 A
Bluetooth® 5.0

## Panel 3

using a manufacturer-approved Charging Cable (supplied in the box) and certified Power Adaptor (either supplied in the box or from a reputable source), for charging purposes. Do not use accessories not approved by manufacturer. Refer to 'Technical Data' section and www.iqos.com for details applicable to the mobility kit you purchased.
- This product must only be charged using Safety Extra Low Voltage with a 5V; 2A output. Refer to the Technical Data section of this User Guide for details.
- Do not use, charge, or store IQOS ILUMA™ or IQOS ILUMA PRIME™ in places with high temperatures (such as inside a car in summer, or near heat sources such as radiators or fires).
- Do not use IQOS ILUMA™ or IQOS ILUMA PRIME™ where flammable materials, liquids and gases are present.
- IQOS ILUMA™, IQOS ILUMA PRIME™, Power Adaptor and Charging Cable should not be exposed to any liquid. Do not touch them if they become wet or have been immersed in any liquid.
- Do not clean the device with any cleaning agent.
- Clean the USB charging port of the IQOS ILUMA™ and IQOS ILUMA PRIME™ periodically to avoid accumulation of foreign matters (such as dust particles), and inspect USB port for foreign materials before using USB connector.

## Panel 4

- Handle with care. Do not drop IQOS ILUMA™ or IQOS ILUMA PRIME™ or subject them to strong shock.
- This product contains no user-serviceable parts. Do not attempt to open, modify, service, disassemble or repair any component of IQOS ILUMA™ or IQOS ILUMA PRIME™ or to replace any of the components or batteries.
- IQOS ILUMA™ and IQOS ILUMA PRIME™ Pocket Charger and Holder are not compatible with previous IQOS generations. Do not attempt charging IQOS ILUMA™ or IQOS ILUMA PRIME™ Holder in any previous IQOS generation Pocket Charger. Do not attempt to charge any previous IQOS generation Holder in IQOS ILUMA™ or IQOS ILUMA PRIME™ Pocket Charger.
- Do not use this product if it has been exposed to excessive cold, heat or moisture.
- Do not touch IQOS ILUMA™ or IQOS ILUMA PRIME™ and/or their accessories if they overheat, spark, fume, ignite, or burn. If applicable and possible, use caution to shut off or disconnect power supply.
- Do not attempt to insert any object in the heating chamber other than SMARTCORE STICKS™ or ILUMA™ Stick Remover (when necessary). Ensure the Holder is powered off before attempting to remove SMARTCORE STICKS™ with ILUMA™ Stick Remover.
- Do not insert metal pieces in the holder while in use.
- Device can only be operated >0°C/<40°C.

## Panel 13

- No toques IQOS ILUMA™ o IQOS ILUMA PRIME™ ni sus accesorios si se sobrecalientan, emiten humos, se prenden o queman. Si es posible, apágalos o desconéctalos de la fuente de alimentación.
- No trates de introducir ningún otro objeto que no sean los SMARTCORE STICKS™ en la cámara de calentamiento o ILUMA™ Stick Remover (si es necesario). Asegúrate de que el Holder esté apagado antes de intentar extraer los SMARTCORE STICKS™ con ILUMA™ Stick Remover.
- No introduzcas piezas de metal en el Holder mientras esté en uso.
- El dispositivo solo funciona a temperatura ambiente entre 0 °C y 40 °C.
- Los SMARTCORE STICKS™ son de un solo uso y no deben reutilizarse ni encenderse con una cerilla, mechero o ningún otro tipo de llama.

**Riesgos asociados a la batería**
IQOS ILUMA™ y IQOS ILUMA PRIME™ funcionan con baterías de iones de litio (Li-ion) selladas. En condiciones normales de uso, la batería está sellada. Si observas cualquier fuga de líquidos de la batería, sigue estas precauciones:
- Si se produce un contacto con el líquido de una batería, acude al médico inmediatamente. No te provoques el vómito ni ingieras alimentos o bebidas.
- Si inhalas el líquido, toma aire fresco y acude a un médico.
- Si el líquido de la batería entra en contacto con la piel, lávate la zona afectada, incluyendo las manos, y no te toques los ojos.
- Si el líquido de la batería entra en contacto con los ojos, lávalos inmediatamente con agua abundante durante al menos 15 minutos y acude a un médico inmediatamente.

**PRECAUCIÓN** **Riesgos por calentamiento del aerosol**
- Si usas IQOS ILUMA™ o IQOS ILUMA PRIME™ en condiciones de temperatura y humedad elevadas, el aguja del aerosol se calentará.
- Para evitar esta sensación, guarda los SMARTCORE STICKS™ en un lugar limpio, seco y fresco. No expongas los productos a condiciones de humedad alta o a la luz del sol directa.
- No uses SMARTCORE STICKS™ que hayan sido expuestos a un calor o humedad excesivos.
- No saques los SMARTCORE STICKS™ mientras los usas.
- Si sufres alguna molestia, deja de usar el producto y consulta con un profesional de la salud.

## Panel 12

- No pongas IQOS ILUMA™, IQOS ILUMA PRIME™, el adaptador de corriente o el cable de carga en contacto con ningún líquido. No los toques si se mojan o se sumergen en algún líquido.
- No limpies el dispositivo con ningún agente limpiador.
- Limpia el puerto de carga USB del IQOS ILUMA™ o IQOS ILUMA PRIME™ de manera periódica para evitar la acumulación de materias extrañas (como partículas de polvo) e inspecciona el puerto USB antes de usar el conector USB.
- Manipúlalo con cuidado. No dejes caer IQOS ILUMA™ o IQOS ILUMA PRIME™ ni lo sometas a impactos fuertes.
- Este producto no contiene piezas que el usuario pueda reparar. No realices intentos de apertura, mantenimiento, modificación o reparación de ningún componente de IQOS ILUMA™ o IQOS ILUMA PRIME™ ni sustituyas ninguno de los componentes ni baterías.
- El Pocket Charger y el dispositivo IQOS ILUMA™ y IQOS ILUMA PRIME™ no son compatibles con la generación anterior de IQOS. No intentes cargar IQOS ILUMA™ o IQOS ILUMA PRIME™ con ningún Pocket Charger de la generación anterior de IQOS. No intentes cargar ningún dispositivo de la generación anterior de IQOS con el Pocket Charger IQOS ILUMA™ o IQOS ILUMA PRIME™.
- No uses este producto si ha sido expuesto a frío, calor o humedad excesivos.

## Panel 5

- SMARTCORE STICKS™ are single use only and should never be re-used. lit with a match, lighter or any other flame source.

**Battery Risks**
IQOS ILUMA™ and IQOS ILUMA PRIME™ are powered with sealed Lithium-ion (Li-ion) batteries. Under normal conditions of use, the battery is sealed. If you notice that battery fluid leaks, follow these precautions:
- If fluid from leaked battery is swallowed, seek medical attention immediately. Do not induce vomiting or ingest food or drink.
- If vapor from leaked battery is inhaled, get fresh air and seek medical attention.
- If fluid from battery is in contact with skin, wash the affected area, including hands and do not touch eyes.
- If fluid from leaked battery is in contact with eyes, immediately flush with clean running water for at least 15 minutes and seek medical attention.

**CAUTION** **Thermal Burn Risk**
Failure to follow these Safety Warnings and Instructions could result in thermal burns:
- Store IQOS ILUMA™ or IQOS ILUMA PRIME™ and SMARTCORE STICKS™ in a clean, dry, and cool place.
- Do not expose IQOS ILUMA™ or IQOS ILUMA PRIME™ and SMARTCORE STICKS™ to high humidity conditions or direct sunlight.
- Do not use SMARTCORE STICKS™ that have been exposed to excessive heat or moisture.
- Do not remove SMARTCORE STICK™ while in use.

**CAUTION** **Allergic Reaction Risk**
- Using IQOS ILUMA™ or IQOS ILUMA PRIME™ and SMARTCORE STICKS™ could cause an allergic reaction, such as swelling of the face, lips, tongue, gums, throat, or body, difficulty breathing, or wheezing.
- Stop using IQOS ILUMA™ or IQOS ILUMA PRIME™ and SMARTCORE STICKS™ and seek medical attention immediately if you experience any of the symptoms above as they may indicate a serious allergic reaction.
- Certain SMARTCORE STICKS™ contain botanical ingredients that may cause allergic reactions in some users (see information on pack). Do not share IQOS ILUMA™ and IQOS ILUMA PRIME™ devices with other users to minimize the risk of cross-contamination that could lead to an allergic reaction.

**Use of SMARTCORE STICKS™**
- Only use IQOS ILUMA™ and IQOS ILUMA PRIME™ with SMARTCORE STICKS™ specifically designed for IQOS ILUMA™ and IQOS ILUMA PRIME™ devices.
- Never use IQOS ILUMA™ or IQOS ILUMA PRIME™ with a cigarette or similar products.
- Do not use SMARTCORE STICKS™ with previous IQOS device generations.
- Do not modify SMARTCORE STICKS™ in any way or add any substance to SMARTCORE STICKS™. Doing so may cause injury.

**Storage**
- Device must be stored in a clean, dry, and cool place. Do not store in temperatures above 40°C.
- Store in a place inaccessible to children.

## Panel 6

**Reporting of adverse events or incidents**
- If you experience any unwanted health effect when using IQOS ILUMA™, IQOS ILUMA PRIME™ and/or SMARTCORE STICKS™, consult a health care professional.
- You can report any adverse event or incident directly by contacting your local Customer Care (details can be found in the Customer Care & Warranty booklet). By reporting side effects, you can help provide more information on the safety of this product.
- For more information please go to www.iqos.com.

**TECHNICAL DATA**

**Holder:**
IQOS ILUMA™ and IQOS ILUMA PRIME™
Model C1402
Battery type: Li-ion rechargeable battery
Input: 5 V ⎓ 1,6 A

**Pocket Charger:**
IQOS ILUMA PRIME™
Model C1502
Battery type: Li-ion rechargeable battery
Input: 5V ⎓ 2 A
Bluetooth® 5.0

**Pocket Charger:**
IQOS ILUMA™
Model M0001
Battery type: Li-ion rechargeable battery
Input: 5V ⎓ 2 A
Bluetooth® 5.0

Not all devices listed in these Safety Warnings and Instructions may be included in this mobility kit.

**Compatible Power Adaptor Information:**
Model: S52A21, S21A20, S21A22, S21A23, S21A25, S21A27, S82A40, S82A41, S82A42, S82A43, S82A45, S82A46
Input: 100 V-240 V~50-60 Hz 0,3 A
Output 5 V ⎓ 2 A
Output power: 10.0W
Average active efficiency: 79.0%
No load power consumption: <0.09 W
**Use with Charging Cable**

**INFORMATION FOR DISPOSING OF IQOS ILUMA™ AND IQOS ILUMA PRIME™**
**Valid across European Union and EEA**

This symbol on the product or on its packaging indicates that this product and its individual parts (including batteries) must not be disposed of with your other household waste. Instead, it is your responsibility to dispose of your waste equipment by bringing it to a designated collection point for the recycling of waste electrical and electronic equipment. In addition, waste batteries can be returned free of charge at the point of sale. The separate collection and recycling of your waste equipment (including batteries) at the time of disposal will help to conserve natural resources and ensure that it is recycled in a manner that protects human health and the environment. Disposing of waste equipment as unsorted municipal waste (e.g. by waste incineration or land filling) can have negative effects on the

## Panel 11

- No utilices IQOS ILUMA™ o IQOS ILUMA PRIME™ en lugares en los que el uso de dispositivos electrónicos esté prohibido.
- No cargues ni uses IQOS ILUMA™, IQOS ILUMA PRIME™ ni otros accesorios si están dañados, rotos o han sido manipulados.
- No uses IQOS ILUMA™ ni IQOS ILUMA PRIME™ si la batería presenta fugas.
- IQOS ILUMA™ y IQOS ILUMA PRIME™ deben cargarse únicamente en el interior, como indica el símbolo ⌂, con el cable de carga (suministrado en la caja) y el adaptador de corriente (suministrado en la caja u obtenido de una fuente confiable). No uses accesorios no aprobados por el fabricante. Consulta la sección de Datos técnicos y www.iqos.com para más información sobre el kit de movilidad adquirido.
- Este producto debe cargarse únicamente a muy baja tensión de seguridad (SELV) con potencia de salida de 5 V; o 2 A. Consulta la sección de Datos técnicos de este manual de usuario para más información sobre el voltaje.
- No uses, cargues o almacenes IQOS ILUMA™ ni IQOS ILUMA PRIME™ en lugares con altas temperaturas (por ejemplo, en el interior de un vehículo en verano o cerca de fuentes de calor como radiadores o fuegos).
- No uses IQOS ILUMA™ o IQOS ILUMA PRIME™ cuando haya materiales inflamables, líquidos y gases presentes.

## Panel 10

- La nicotina está presente de forma natural en el tabaco que contienen los SMARTCORE STICKS™.
- Algunos usuarios podrían experimentar dolor abdominal, dolor en el pecho, sensación de asfixia, tos, dificultad para respirar, mareos, sequedad de garganta, gingivitis, dolor de cabeza, malestar, congestión nasal, náuseas, irritaciones bucales, palpitaciones, irritaciones en la garganta y vómitos.
- Las personas que tienen riesgo de sufrir o que sufren convulsiones o enfermedades del corazón o que son diabéticas o epilépticas no deberían usar productos que contienen nicotina.
- Los productos que contienen nicotina no deben usarse durante el embarazo ni la lactancia. Si estás embarazada, en periodo de lactancia o crees que podrías estar embarazada, es conveniente que dejes el tabaco y la nicotina.
- Dejar de fumar o pasarse a IQOS ILUMA™ o IQOS ILUMA PRIME™ y a los SMARTCORE STICKS™ u otros productos que contienen nicotina puede requerir un ajuste de la dosis de ciertos medicamentos (p. ej. teofilina, clozapina, ropinirol).
- Si tienes preguntas sobre si deberías usar IQOS ILUMA™, IQOS ILUMA PRIME™ o los SMARTCORE STICKS™ debido a tu estado de salud, consulta con un profesional de la salud.

**INFORMACIÓN DE SEGURIDAD IMPORTANTE**

**ADVERTENCIA** **Peligro de asfixia, ingestión y manipulación**
Mantén IQOS ILUMA™, IQOS ILUMA PRIME™ y los SMARTCORE STICKS™ fuera del alcance de los niños y mascotas en todo momento.
- PELIGRO DE ASFIXIA: los SMARTCORE STICKS™ contienen piezas metálicas pequeñas con bordes afilados.
- PELIGRO DE INGESTIÓN
  - La ingestión de SMARTCORE STICKS™ puede provocar lesiones graves en órganos internos debido a sus piezas metálicas pequeñas con bordes afilados.
  - La ingestión de SMARTCORE STICKS™ puede suponer un riesgo de intoxicación por nicotina.
  - Si ingieres SMARTCORE STICKS™, acude a un médico inmediatamente.
- PELIGRO DE MANIPULACIÓN: no desmontes los SMARTCORE STICKS™, ya que contienen piezas metálicas pequeñas con bordes afilados. Desecha los SMARTCORE STICKS™ inmediatamente después de usarlos de conformidad con la normativa local de eliminación de residuos.

**ADVERTENCIA** **Riesgos asociados a la batería y a los componentes electrónicos**

Riesgos eléctricos

Si no se respetan estas advertencias de seguridad e instrucciones, se podrían ocasionar incendios, explosiones, descargas eléctricas, lesiones o daños al producto y otros bienes:
- Únicamente los usuarios finales deben usar IQOS ILUMA™ y IQOS ILUMA PRIME™.

## Panel 7

environment and human health. For more information about where you can drop off your waste equipment for recycling, please contact your local city office, your local household waste disposal service or the shop where you purchased the product. The local importer of the product will provide for the financing of the treatment and recycling of waste equipment returned through these designated collection points in accordance with local requirements.

**BATTERY REMOVAL INSTRUCTIONS (FOR DISPOSAL AND RECYCLING)**
**Batteries must not be removed by the consumer. At end of product life, only an authorized recycler may safely remove batteries by following the steps below.**

IQOS ILUMA PRIME™ Pocket Charger (Model C1502):
Step 1: The device should be fully discharged before disassembling it.
Step 2: Remove peel-off the rubber pad from the Pocket Charger Wrap Cover.
Step 3: Remove the 2 screws.
Step 4: Remove Wrap Cover by sliding and wiggling vertically slowly away from Metal Housing, then remove the 2 screws of the frame.
Step 5: Detach all Flexible Printed Circuits and connector to remove the charger Printed Circuit Board.
Step 6: Remove battery by tilting it up and dispose of according to local regulations.

IQOS ILUMA™ Pocket Charger (Model M0001):
Step 1: The device should be fully discharged before disassembling it.
Step 2: Remove Door Cover with fingers.
Step 3: Open door and unscrew bottom and top screw.
Step 4: Remove Charger Housing.
Step 5: Unscrew the electronic circuit board (1 screw only).
Step 6: Unplug battery connector on the circuit board. Do not cut battery wires.
Step 7: Remove battery by tilting it up and dispose of according to local regulations.

IQOS ILUMA™ and IQOS ILUMA PRIME™ Holder (Model C1402):
Step 1: The device should be fully discharged before disassembling it.
Step 2: Open the Ring.
Step 3: Open the retainer cap, slide out the assembly out from housing.
Step 4: De-solder the battery tab and lifted it up.
Step 5: Remove battery and dispose of according to local regulations.

**Confirmation of Compliance**
Hereby, Philip Morris Products S.A. declares that IQOS ILUMA™ and IQOS ILUMA PRIME™ are in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. The official Declaration of Conformity may be found at: www.pmi.com/declarationofconformity
IQOS ILUMA™ and IQOS ILUMA PRIME™ operate within 2.402 – 2.480GHz frequency band with a maximum RF output power below 10.0 dBm.
This device complies with the RF exposure limits and has been evaluated in compliance with portable exposure condition according to the EN 62311:2008.
Designed and manufactured under the authority of Philip Morris Products S.A., Quai Jeanrenaud 3, 2000 Neuchâtel, Switzerland.

## Panel 8

Bluetooth®

The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Philip Morris Products S.A. and its affiliates is under license. Other trademarks and trade names are those of their respective owners.

Further information regarding the firmware license for IQOS ILUMA™ and IQOS ILUMA PRIME™ is available at www.iqos.com.

© 2021 Copyright Philip Morris Products S.A.

CE

## Panel 9

IQOS ILUMA

ESPAÑOL

Este símbolo indica que se requiere precaución a la hora de usar el producto. Sirve para advertir sobre posibles riesgos de daños físicos.

# ADVERTENCIAS DE SEGURIDAD E INSTRUCCIONES

**LEE Y CONSERVA ESTAS ADVERTENCIAS DE SEGURIDAD E INSTRUCCIONES ANTES DE USAR EL PRODUCTO PARA EVITAR DAÑOS.**
**Estas advertencias de seguridad e instrucciones no abarcan todas las situaciones que pueden llegar a producirse, por lo que deben extremarse las precauciones.**

## GUARDA ESTAS ADVERTENCIAS DE SEGURIDAD E INSTRUCCIONES Y CONSÉRVALAS PARA FUTURAS CONSULTAS, YA QUE CONTIENEN INFORMACIÓN IMPORTANTE.

Estas advertencias de seguridad e instrucciones son aplicables a IQOS ILUMA™ y IQOS ILUMA PRIME™

**Usuarios previstos**
- IQOS ILUMA™, IQOS ILUMA PRIME™ están pensados para fumadores adultos.
- IQOS ILUMA™, IQOS ILUMA PRIME™ y los SMARTCORE STICKS™ están pensados para fumadores adultos que de otra forma seguirían consumiendo tabaco o productos que contengan nicotina.
- Los niños y adolescentes no deben usar IQOS ILUMA™, IQOS ILUMA PRIME™ ni SMARTCORE STICKS™ bajo ninguna circunstancia.
- Este producto no está pensado para que lo usen personas con discapacidades físicas, sensoriales o mentales o con falta de los conocimientos necesarios a menos que cuenten con supervisión o se les haya indicado cómo usar el producto de forma segura y entiendan los riesgos que conlleva.

**Tabaco y nicotina**
- Los SMARTCORE STICKS™ contienen nicotina, una sustancia adictiva.
- IQOS ILUMA™, IQOS ILUMA PRIME™ y los SMARTCORE STICKS™ no están exentos de riesgos. La mejor forma de reducir los riesgos hacia la salud relacionados con el tabaco es dejar el consumo de tabaco y nicotina por completo tabaco y la nicotina.